



# WOODCREST® Shingles



Timber<sup>1</sup>



**TOTAL PROTECTION. TOTAL CONFIDENCE.®**



SEAL.



DEFEND.



BREATHE.



# WOODCREST® Shingles

## The look that lasts.

Thick, ruggedly beautiful **Woodcrest®** Shingles are designed to enhance your home with the natural appearance and texture of wood shake but with greater durability and less maintenance. They also offer peace of mind by meeting the highest fire resistance standards in the industry. Best of all, Woodcrest® Shingles are available in a variety of distinctive color blends that are inspired by nature but not limited by it — giving your roof a pop of color you can't get from real wood. To add even more dimension and style to your home, be sure to pair your Woodcrest® Shingles with our color-matched Owens Corning® Hip & Ridge Shingles.

- Limited Lifetime Warranty<sup>\*/#</sup> (for as long as you own your home)
- 110/130-MPH Wind Resistance Limited Warranty<sup>\*/##</sup>
- StreakGuard™ Protection with a 25-year Algae Resistance Limited Warranty.<sup>3/5</sup>



Mesquite<sup>1</sup>



Carbon<sup>1</sup>



Chestnut<sup>1</sup>



Granite<sup>1</sup>



Mesquite<sup>1</sup>



Sycamore<sup>1</sup>



Timber<sup>1</sup>



## COLOR DISCLAIMER


As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.

# TOTAL PROTECTION. TOTAL CONFIDENCE.®

The most important part of the roof?  
All of them.



It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity inside. The Owens Corning® Total Protection Roofing System® ^ gives your customers the assurance that all of their Owens Corning® roofing components are working together to help increase the performance of the roof — and to enhance the comfort and enjoyment of those who live beneath it.



**OWENS CORNING ROOFING AND ASPHALT, LLC**  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659

**1-800-GET-PINK®**  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)

Pub. No. 10003278-Q. Printed in U.S.A. January 2023.  
THE PINK PANTHER™ & © 1964–2023 Metro-Goldwyn-Mayer Studios Inc.  
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.  
© 2023 Owens Corning. All Rights Reserved.

(Brookville, Denver, Irving, Minneapolis, Portland, Summit)

## Product Attributes

### Warranty Length<sup>\*/‡</sup>

Limited Lifetime (for as long as you own your home)

### Wind Resistance Limited Warranty<sup>\*/\*\*</sup>

110/130-MPH

### Algae Resistance Limited Warranty<sup>3/5</sup>

25 Years

### TRU PROtection® Non-Prorated Limited Warranty\* Period

10 Years

## Woodcrest® Shingles Product Specifications

Size	14 1/4" x 40"
Weight	350 lbs.
Application Exposure	4"
Shingles per Bundle	15
Shingle Count per 6 Bundles	90
Coverage per 6 Bundles	100 sq. ft.

## WoodStart® Starter Shingles Product Specifications

Nominal Size	40" x 13 3/8"
Pieces per Bundle	16
Lineal Feet per Bundle	53.33

## Applicable Standards and Codes

ASTM D3462
CSA A123.5 <sup>++</sup>
ASTM D228
ASTM D3018 (Type 1)
ICC-ES AC438 <sup>#</sup>
ASTM D3161 (Class F Wind Resistance)
ASTM D7158 (Class H Wind Resistance)
ASTM E108/UL 790 (Class A Fire Resistance)
PRI ER 1378E01

\* See actual warranty for complete details, limitations and requirements.

‡ 40-year Limited Warranty on commercial projects.

\*\* 130 MPH is applicable only with Owens Corning® Starter Shingle product application along eaves and rakes in accordance with installation instructions. Refer to installation instructions for complete details.

++ Only on product sold in Canada.

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

1 See Color Disclaimer Information on page 3 for additional details.

3 Shingles are algae resistant to help control growth of algae and discoloration.

5 This coverage is effective 01/01/2023; Installation must include use of an approved Owens Corning® Hip & Ridge Shingle product. See actual warranty for details.